Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of inf Substitute for form 1449A/PTO		plete if Known
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/669,869
8/	Filing Date	September 23, 2003
NOV 0 2 2007)	First Named Inventor	Cyrus Rustam Kumana
1 2 /	Group Art Unit	1616
Ø ₂	Examiner Name	Frank I. Choi
Shearanna of 8	Attorney Docket Number	UHK 00091

	OTHER ART NON PATENT LITERATURE DOCUMENTS		
Examiner's Initials'	Cite No.1	Include name of the author (in CAPITAL LETTERS), little of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, cily and/or country where published	Tz
		ABROUN, et al., "Receptor synergy of interleukin-6 (IL-6) and insulin-like growth factor-I in myeloma cells that highly express IL-6 receptor alpha [corrected]", Blood, 103(6):2291-8 (2004).	
		AKAY and GAZITT, "Arsenic trioxide selectively induces early and extensive apoptosis via the APO2/caspase-8 pathway engaging the mitochondrial pathway in myeloma cells with mutant p53", Cell Cycle, 2(4):358-68 (2003).	
		ALT, et al., "Phosphorylation-dependent regulation of cyclin D1 nuclear export and cyclin D1-dependent cellular transformation" Genes Dev, 14:3102-14 (2000).	
		AU, et al., "Combined arsenic trioxide and all-trans retinoic acid treatment for acute promyelocytic leukaemia recurring from previous relapses successfully treated using arsenic trioxide", Br J Haematol., [117(1):130-2 (2002).	
		BAHLIS, et al., "Feasibility and correlates of arsenic trioxide combined with ascorbic acid-mediated depletion of intracellular glutathione for the treatment of relapsed/refractory multiple myeloma", Clin Cancer Res., 8(12):3658-68 (2002).	
		BERENSON, et al., "A prospective, open-label safety and efficacy study of combination treatment with melphalan, arsenic trioxide, and ascorbic acid in patients with relapsed or refractory multiple myeloma", Clin Lymphoma, 5(2):130-4 (2004).	
		BURKE, et al., "BMS-345541 is a highly selective inhibitor of I kappa B kinase that binds at an allosteric site of the enzyme and blocks NF-kappa B-dependent transcription in mice", J Biol Chem, 278:1450-6 (2003).	
		CAMACHO, et al., "Leukocytosis and the retinoic acid syndrome in patients with acute promyelocytic leukemia treated with arsenic trioxide", J. CLin. Oncol., 18:2620-5 (2000).	
		CARPENTER, "Employment of the epidermal growth factor receptor in growth factor-independent signaling pathways", J Cell Biol., 146(4):697-702 (1999).	
		CATLEY, et al., "Perspectives for combination therapy to overcome drug-resistant multiple myeloma", Drug Resist Updat., 8(4):205-18 (2005).	

Examiner's	Date	Considered
	500	Considered
Signature		1

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Burdon Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chief Information Officer, Pastent and Trademan, Office, Washington, DC 20231. DO NOT SEND FEES NO FEES NO

¹ Unique plation designation number * See attached kinds of U.S. Patent Documents.* Einer Office that issued the document, by the wholeter code (WIPO Standard ST3.) * For Lagrance patent documents, the indication of the patent of the entire process the series incluments.* White of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. * Applicant to place a check mark here if English language Translation is attached.

Sheet

Frank I. Choi

UHK 00091

the type of the state of the st		Approved for use through 10/31/99. OMB 0651-00: tatent and Trademark Office: U.S. DEPARTMENT OF COMMERC
nder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of inf	ormation unless it contains a valid OMB control m	umber
Substitute for form 1449A/PTO	c	omplete if Known
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/669,869
(use as many sheets as necessary)		
	Filing Date	September 23, 2003
•	First Named Inventor	Cyrus Rustam Kumana
	Group Art Unit	1616

OTHER ART. MONI DATENT LITERATURE DOCUMENTS

Examiner Name

Attorney Docket Number

		OTHER ART – NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), polished or published and polisher, only and/or country where published	T²
		CHEN, et al., "Use of arsenic trioxide (As2O3) in the treatment of acute promyelocytic leukemia (APL): I. As2O3 exerts dose-dependent dual effects on APL cells" <i>Blood</i> , 89(9):3345-53 (1997).	
		CHOONG and COHEN, "Epidermal growth factor receptor directed therapy in head and neck cancer", Crit Rev Oncol Hematol., 57(1):25-43 (2006).	
		COHEN, et al., "The expanding role of systemic therapy in head and neck cancer", J Clin Oncol., 22(9):1743-52 (2004)	
		COLE, et al., "Further evidence that the tyrosine phosphorylation of glycogen synthase kinase-3 (GSK3) in mammalian cells is an autophosphorylation event", <i>Biochem J.</i> , 377:249-55 (2004).	
		CROSS, et al., "Inhibition of glycogen synthase kinase-3 by insulin mediated by protein kinase B", Nature, 378:785-9 (1995).	
		DAVISON, et al., "INK activation is a mediator of arsenic trioxide-induced apoptosis in acute promyelocytic leukemia cells", Blood, 103(9):3496-502 (2004).	
		DEL RAZO, et al., "Stress proteins induced by arsenic", Toxicol Appl Pharmacol., 177(2):132-48 (2001).	
		DIEHL, et al., "Glycogen synthase kinase-3beta regulates cyclin D1 proteolysis and subcellular localization", Genes Dev,12:3499-511 (1998).	
		DIEHL, et al., "Inhibition of cyclin D1 phosphorylation on threonine-286 prevents its rapid degradation via the ubiquitin-proteasome pathway", Genes Dev, 11:957-72 (1997).	
		FAN, et al., "Phospholipase C-independent activation of glycogen synthase kinase-3beta and C-terminal Srekinase by Galphaq", <i>J Biol Chem</i> , 278:52432-6 (2003).	
		FERLIN, et al., "Insulin-like growth factor induces the survival and proliferation of myeloma cells through an interleukin-6-independent transduction pathway", Br.J Haematol., 111(2):626-34 (2000).	

Examiner's Signature	Date Considere	1
Oigilature		L

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. include copy of this form with next communication to application.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SENT TC. Assistant Commission for Patent, Washington, DC 20231.

45082166vI

¹ Unique citation designation number ² Sea attached Kinds of U.S. Patent Documents. ⁸ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁸ For Japanese patent documents, the indication of the year of the reign of the Emperor must procede the serial number of the patent document. ⁸ Kind of document by the appropriate symbols as indication the document number of the figuration to place a chart here if English language. Translation is attached.

	Patent and Trad	emark Office: U.S. DEPARTMENT OF CO
nder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of informa	ation unless it contains a valid OMB control number	
Substitute for form 1449A/PTO	information unless it contains a valid OMB costerol number Complete if Known Application Number 10/669,869	
INFORMATION DISCLOSURE	Application Number	10/669,869

OTHER ART - NON PATENT LITERATURE DOCUMENTS

Examiner's	011-	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	ΤŽ
Initials*	Cite No. ¹	item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	
		FORSTPOINTER, et al. "The addition of rituximab to a combination of fludarabine, cyclophosphamide,	
		mitoxantrone (FCM) significantly increases the response rate and prolongs survival as compared with FCM	
		alone in patients with relapsed and refractory follicular and mantle cell lymphomas: results of a prospective randomized study of the German Low-Grade Lymphoma Study Group" <i>Blood</i> , 104:3064-71 (2004).	
		GARTENHAUS, et al., "Arsenic trioxide cytotoxicity in steroid and chemotherapy-resistant myeloma cell lines: enhancement of apoptosis by manipulation of cellular redox state", Clin Cancer Res., 8(2):566-72 (2002).	
		GOY, et al., "Phase II study of proteasome inhibitor bortezomib in relapsed or refractory B-cell non- Hodgkin's lymphoma" J Clin Oncol, 23:667-75 (2005).	
		GRANDIS, et al., "Levels of TGF-alpha and EGFR protein in head and neck squamous cell carcinoma and natient survival". J Natl Cancer Inst., 90:824-32 (1998).	
		GUO, et al., "Phosphorylation of cyclin D1 at Thr 286 during S phase leads to its proteasomal degradation and allows efficient DNA synthesis" Oncogene, 24:2599-612 (2005).	
		GUO, et al., "Post-transcriptional regulation of cyclin D1 expression during G2 phase" Oncogene, 21:7545-56 2002).	
		HARTIGAN, et al., "Glycogen synthase kinase 3beta is tyrosine phosphorylated by PYK2", Biochem Biophys Res Commun., 284:485-9 (2001).	
		HARTIGAN, et al., "Transient increases in intracellular calcium result in prolonged site-selective increases in Tau phosphorylation through a glycogen synthase kinase 3beta-dependent pathway", J Biol Chem, 274:2195-401 (1999).	
		HICKE, "Protein regulation by monoubiquitin", Nat Rev Mol Cell Biol, 2:195-201 (2001).	
		HUANG, et al., "Acute and chronic arsenic poisoning associated with treatment of acute promyelocytic leukaemia", Br J Haematol., 103(4):1092-5 (1998).	
		HUBBARD and TILL, "Protein tyrosine kinase structure and function", Annu Rev Biochem., 69:373-98 (2000).	

Examiner's	Date Considered	
Signature	- 0.0 0000700	
Oignature	 	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chell Information Officer, Patent and Trademark Officer Washington, DC 20231. DO NOT SECVIFEES OR COMPLETED FORMS OF THIS ADDRESS. SENT TO. Assistant Commission for Patent, Vashington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

¹ Unique citation designation number ² Sea attached Kinds of U.S. Patent Documents. ² East Office that issued the document, by the two-letter code (MIPO Standard ST3). ² For Jacopsee patent documents, the indication of the pasent of the Emporer under procede the setted number of the patent document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁸ Applicant to palce a check make the If English language Translation is attached.

Please type a plus sign (+) inside this box →

Inder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection	on of information unless it contains a valid OMB control numbe	T .
Substitute for form 1449A/PTO	Com	nplete if Known
INFORMATION DISCLOSURI STATEMENT BY APPLICAN* (use as many sheets as necessary)		10/669,869
•	Filing Date	September 23, 2003
•	First Named Inventor	Cyrus Rustam Kumana
	Group Art Unit	1616
	Examiner Name	Frank I. Choi
Sheet 4 of 8	Attorney Docket Number	UHK 00091

		OTHER ART - NON PATENT LITERATURE DOCUMENTS	
Examiner's initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, bunnal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, cily and/or country where published	T²
		HUGHES, et al., "Modulation of the glycogen synthase kinase-3 family by tyrosine phosphorylation", EMBO J. 12:803-8 (1993).	
		HUSSEIN, et al., "Phase 2 study of arsenic trioxide in patients with relapsed or refractory multiple myeloma", Br J Haematol., 125(4):470-6 (2004).	
		JANNE, "Ongoing first-line studies of epidermal growth factor receptor tyrosine kinase inhibitors in select patient populations", Semin Oncol., 32(6 Suppl 10):S9-15 (2005).	
		JEMAL, et al., "Cancer statistics, 2005", CA Cancer J Clin., 55(1):10-30 (2005).	
		KAUFFMANN-ZEH, et al., "Suppression of c-Myc-induced apoptosis by Ras signalling through PI(3)K and PKB", Nature, 385:544-8 (1997).	
		KAUFMANN, et al., "Antitumor activity of rituximab plus thalidomide in patients with relapsed/refractory mantle cell lymphoma", Blood, 104:2269-71 (2004).	
		KIM, et al., "The novel tyrosine kinase ZAK1 activates GSK3 to direct cell fate specification", Cell, 99:399-408 (1999).	
		KWAK, et al., "IkappaB kinase alpha regulates subcellular distribution and turnover of cyclin D1 by phosphorylation", J Biol Chem, 280:33945-52 (2005).	
		KWONG, et al., "Delicious poison: arsenic trioxide for the treatment of leukemia", Blood, 89(9):3487-8 (1997).	
		KWONG, et al., "Arsenic trioxide- and idarubicin-induced remissions in relapsed acute promyelocytic leukaemia: clinicopathological and molecular features of a pilot study", Am J. Hematol., 66:274-9 (2001).	
		KWONG, "Arsenic trioxide in the treatment of haematological malignancies", Expert Opin Drug Saf., 3(6):589-97 (2004).	

Examiner's	Date Considered
Signature	
	 · · · · _ · _ · _ · · _ ·

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS OF THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

¹ Unique citation designation number ² See attached Kinds of U.S. Patent Documents. ¹ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ¹ For Japanese patent documents, the indication of the year of the reign of the Engineer must procede the serial number of the patent document. When the proportional symbols as indicated on the document under WIPO Standard ST.1 of the possible. ² Application to pition a check man here if English language occument under wind you sought to support the symbols are the first first that the proportional symbols are indicated on the occument under wind you sharder ST.1 of the possible. ² Application to pition a check man here if English language and the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols and the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols and the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols and the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols. ² The proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols are the proportional symbols ar Translation is attached.

	Patent and Trademark Office U.S. DEPARTMENT OF COMMERC		
nder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of infor	rmation unless it contains a valid OMB control nur	mber	
Substitute for form 1449A/PTO	Co	omplete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/669,869	
(use as many sheets as necessary)			
	Filing Date	September 23, 2003	
•	First Named Inventor	Cyrus Rustam Kumana	
	Group Art Unit	1616	
	Evenines Neme	Escale I Chai	

OTHER ART. MONERATE MEDITER AT USE BOOK HENTS

Attorney Docket Number

UHK 00091

		OTHER ART – NON PATENT LITERATURE DOCUMENTS	
Examiner's Cite Include name of the author (in CAPITAL LETTERS), life of the article (when appropriate), title of the Initials* No.¹ item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	Ť²
-		LALEMAND-BREITENBACH, et al., "Role of promyelocytic leukemia (PML) sumolation in nuclear body formation, 115 proteasome recruitment, and As203-induced PML or PML/retinoic acid receptor alpha degradation", J Exp Med., 193(12):1361-71 (2001).	
		LENZ, et al., "Immunochemotherapy with rituximab and cyclophosphamide, doxorubicin, vincristine, and prednisone significantly improves response and time to treatment failure, but not long-term outcome in patients with previously untreated mantle cell lymphoma: results of a prospective randomized trial of the German Low Grade Lymphoma Study Group (GLSG)", J Clin Oncol., 23:1984-92 (2005).	
		LESORT, et al., "Insulin transiently increases tau phosphorylation: involvement of glycogen synthase kinase- 3beta and Fyn tyrosine kinase", J Neurochem, 72:576-84 (1999).	
		LING, et al., "NF-kappaB-inducing kinase activates IKK-alpha by phosphorylation of Ser-176", Proc Natl Acad Sci U S A., 95:3792-7 (1998).	
		LIU, et al., "Arsenic trioxide-induced apoptosis in myeloma cells: p53-dependent G1 or G2/M cell cycle arrest, activation of caspase-8 or caspase-9, and synergy with APO2/TRAIL.", Blood, 101(10):4078-87 (2003).	
		LU, et al., "Tetra-arsenic tetra-sulfide for the treatment of acute promyelocytic leukemia: a pilot report", Blood, 99(9):3136-43 (2002).	
		MALININ, et al., "MAP3K-related kinase involved in NF-kappaB induction by TNF, CD95 and IL-1", Nature, 385:540-4 (1997).	
		MARMOR and YARDEN, "Role of protein ubiquitylation in regulating endocytosis of receptor tyrosine kinases", Oncogene, 23(11):2057-70 (2004).	
		MOSESSON, et al., "Endocytosis of receptor tyrosine kinases is driven by monoubiquitylation, not polyubiquitylation", J Biol Chem., 278(24):21323-6 (2003).	

Examiner's	Date Considered	
Signature		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Officer, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS OF THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

45082166v1

Sheet

of

¹ Unique claison designation number ² Sea attached Kinds of U.S. Patent Documents. ² Eate Office that issued the document, by the weletier code (WIPO Standard ST3, 3 ° For Japanese patent document, by the document, by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. *Applicant to place a check manch there I English language Translation is satisfact.

Under the Pa	perwork Reduction / Substitute fo			formation unless it contains a valid OMB control numb	er .
	Substitute to	1 101111 1443	AF 10	Con	nplete if Known
		ATEME	TION DISCLOSURE NT BY APPLICANT any sheets as necessary)	Application Number	10/669,869
		•	•	Filing Date	September 23, 2003
				First Named Inventor	Cyrus Rustam Kumana
				Group Art Unit	1616
				Examiner Name	Frank I. Chol
Sheet	6	of	8	Attorney Docket Number	UHK 00091

OTHER ART - NON PATENT LITERATURE DOCUMENTS

Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), published published, published, oly and/or country where published	T²
		MUNSHI, "Arsenic trioxide: an emerging therapy for multiple myeloma", Oncologist, 6 Suppl 2:17-21 (2001).	
		NI, et al., "Pharmacokinetics of intravenous arsenic trioxide in the treatment of acute promyelocytic leukemia", Chin Med J (Engl)., 111(12):1107-10 (1998).	
		NIU, et al., "Studies on treatment of acute promyelocytic leukemia with arsenic trioxide: remission induction, follow-up, and molecular monitoring in 11 newly diagnosed and 47 relapsed acute promyelocytic leukemia patients", Blood, 94(10):3315-24 (1999).	
		O'CONNOR, et al.,"Phase II clinical experience with the novel proteasome inhibitor bortezomib in patients with indolent non-Hodgkin's lymphoma and mantle cell lymphoma", J Clin Oncol, 23:676-84 (2005).	
		OHNISHI, et al., "Prolongation of the QT interval and ventricular tachycardia in patients treated with arsenic trioxide for acute promyelocytic leukemia", Ann Intern Med., 133(11):881-5 (2000).	
		PARK, et al., "Arsenic trioxide-mediated growth inhibition in MC/CAR myeloma cells via cell cycle arrest in association with induction of cyclin-dependent kinase inhibitor, p21, and apoptosis", Cancer Res., 60(11):3065-71 (2000).	
		POMERANTZ and GRANDIS, "The epidermal growth factor receptor signaling network in head and neck carcinogenesis and implications for targeted therapy", Semin Oncol., 31(6):734-43 (2004).	
		QIAN, et al., "New perspectives in arsenic-induced cell signal transduction", J Inorg Biochem., 96(2-3):271-8 (2003).	
		QIANG, et al., "Insulinlike growth factor-I signaling in multiple myeloma: downstream elements, functional correlates, and pathway cross-talk", <i>Blood</i> , 99(11):4138-46 (2002).	
		ROMAQUERA, et al., "High rate of durable remissions after treatment of newly diagnosed aggressive mantle-cell lymphoma with rituximab plus hyper-CVAD alternating with rituximab plus high-dose methotrexate and cytarabine" J Clin Oncol, 23:7013-23 (2005).	
		ROODMAN, "Pathogenesis of myeloma bone disease", Blood Cells Mol Dis., 32(2):290-2 (2004).	

Examiner's	Date Considered	
Signature		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office. Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

¹ Unique citation designation number ² Sea attached Kinds of U.S. Patent Documents. ² Enter Office that issues here document, by the two-letter code (WIPO Standard ST 3). ² For Jeagnesse patent obcuments, the indication of the year of the reign of the Emparor must precede the serial number of the patent document. ² More of the comment by the aspectable spinitory is a indicated on the document under WIPO Standard ST 1.01 possible. ² Applicant to place a check mark there I English language Translation is a fatched.

Frank I. Choi UHK 00091

Sheet

T
1 1
1 1

8

	Falcit and Fladelitate Office. U.S. DEPARTMENT OF COMMERCE		
der the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of info	emation unless it contains a valid OMB control nu	mber	
Substitute for form 1449A/PTO	C	omplete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)	Application Number	10/669,869	
(use as many sheets as necessary)	Filing Date	September 23, 2003	
	First Named Inventor	Cyrus Rustam Kumana	
	Group Art Holt	1616	

Examiner Name

Attorney Docket Number

Examiner's	Cite	OTHER ART - NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	1 7
Initials*	No.1	item (book, magazine, journal, serial, symposium, calalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	ľ
		SAYAS, et al., "GSK-3 is activated by the tyrosine kinase Pyk2 during LPA1-mediated neurite retraction", Mol Biol Cell, 17:1834-44 (2006).	
		SHEN, et al., "Use of arsenic trioxide (As2O3) in the treatment of acute promyelocytic leukemia (APL): II. Clinical efficacy and pharmacokinetics in relapsed patients", Blood, 89(9):3354-60 (1997).	
		SHERR, "Cancer cell cycles" <i>Science</i> , 274:1672-7 (1996).	Ī
		SHERR, et al., "The RB and p53 pathways in cancer" Cancer Cell, 2:103-112 (2002).	r
		SIMEONOVA, et al., "c-Src-dependent activation of the epidermal growth factor receptor and mitogen- activated protein kinase pathway by arsenic. Role in carcinogenesis", J Biol Chem., 277(4):2945-50 (2002).	
		SOIGNET, et al., "Complete remission after treatment of acute promyelocytic leukemia with arsenic trioxide", N Engl J Med., 339(19):1341-8 (1998).	
		SOIGNET, et al., "United States multicenter study of arsenic trioxide in relapsed acute promyelocytic leukemia", J Clin Oncol., 19(18):3852-60 (2001).	
		STERNSDORF, et al., PIC-1/SUMO-1-modified PML-retinoic acid receptor alpha mediates arsenic trioxide- induced apoptosis in acute promyelocytic leukemia", Mol Cell Biol., 19(7):5170-8 (1999).	
		SWERDLOW, et al., Mantle Cell Lymphoma, in Jaffe, E.S. et al. Ied.), WHO Classification of Tumors, (2001) 168-170.	
		TAI, et al., "Insulin-like growth factor-I induces adhesion and migration in human multiple myeloma cells via activation of beta l-integrin and phosphatidylinositol 3'-kinase/AKT signaling", Cancer Res., 65(18):5850-6 (2003).	
		TALLMAN, et al., "Acute promyelocytic leukemia: evolving therapeutic strategies", <i>Blood</i> , 99(3):759-67 (2002).	
			1

Examiner's	Date Considered	
Signature	and definition	
Signature		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chile Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SERV PEES OR COMPLETED FORMS OF THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

^{**}Linking clation designation number * See attached Kinds of U.S. Patent Documents.** Eintr Office that issued the document, by the violetter code (VIPO Standard ST3).** For Japanese patent documents, the indication of the year of the region of the Emperor many procede the sendant number of the patent document. **Korld of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. **Applicant to place a check mark here if English language Translation is sate-pated.

Sheat

1616

Frank I. Choi

UHK 00091

and the plan sign () make the control		Approved for use through 10/31/99. OMB 0651-00 Patent and Trademark Office. U.S. DEPARTMENT OF COMMERC
ster the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of inf	ormation unless it contains a valid OMB control	number
Substitute for form 1449A/PTO		Complete if Known
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/669,869
(use as many sheets as necessary)		
	Filing Date	September 23, 2003
	First Named Inventor	Cyrus Rustam Kumana

OTHER ART MONDATENT LITERATURE POSITIVENTS

Group Art Unit

Examiner Name

Attorney Docket Number

		OTHER ART – NON PATENT LITERATURE DOCUMENTS
kaminer's Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), ille of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published
		The Non-Hodgkin's Lymphoma Classification Project. A clinical evaluation of the International Lymphoma Study Group classification of non-Hodgkin's lymphoma", Blood, 89:3909-3918 (1997).
		TSUJIMOTO, et al., "Clustering of breakpoints on chromosome 11 in human B-cell neoplasms with the t(11;14) chromosome translocation", Nature, 315:340-3 (1985).
		TSUJIMOTO, et al., "Molecular cloning of the chromosomal breakpoint of B-cell lymphomas and leukemias with the t(11;14) chromosome translocation" <i>Science</i> , 224:1403-6 (1994).
		VAN DE DONK, et al., "Growth factors and antiapoptotic signaling pathways in multiple myeloma", Leukemia, 19(12):2177-85 (2005).
		VANHAESEBROECK, et al., "Phosphoinositide 3-kinases: a conserved family of signal transducers", Trends Biochem Sci, 22:267-72 (1997).
		WITZIG "Current treatment approaches for mantle-cell lymphoma", J Clin Oncol, 23:6409-14 (2005).
		WITZIG, et al., "Phase II trial of single-agent temsirolimus (CCI-779) for relapsed mantle cell lymphoma", J Clin Oncol, 23:5347-56 (2005).
		YAMAUCHI, et al., "Metabolism and excretion of orally administrated arsenic trioxide in the hamster", Toxicology, 34(2):113-21 (1985).
		YANG and FRENKEL, "Arsenie-mediated cellular signal transduction, transcription factor activation, and aberrant gene expression: implications in carcinogenesis", Environ Pathol Toxicol Oncol., 21(4):331-42 (2002).

Examiner's /Frank Choi/ Date Considered 03/11/2008	 	
	/Frank Choi/	03/11/2008

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of firine you are required to complete this form should be sent to the Chief Information Officer, Pathett and Trademark Office, Mashington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

¹ Unique citation designation number ² Sea attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 (Floossible. ⁴ Pagicant to place a check mark here if English language Translation is attached.